

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (previously presented) Cast part with high creep resistance, made of an alloy with a composition comprising (% by weight):

Si: 5 - 11

Fe<0.6

Mg 0.15 - 0.6

Cu: 0.3 - 1.5

Ti: 0.05 – 0.25

Zr: 0.05 – 0.25

Mn <0.4

Zn <0.3

Ni <0.4

other elements <.10 each and 0.30 total, remainder aluminum.

2. (previously presented) Part according to claim 1, wherein silicon is from 6.5 to 7.5%
3. (previously presented) Part according to claim 1, wherein iron is at most 0.3%.
4. (previously presented) Part according to claim 1, wherein copper is from 0.4 to 0.7%.

5. (previously presented) Part according to claim 1, wherein magnesium content is from 0.25 to 0.5%.
6. (previously presented) Part according to claim 1, wherein magnesium and copper are present such that  $0.3\text{Cu} + 0.18 < \text{Mg} < 0.6$ .
7. (previously presented) Part according to claim 1, wherein titanium is from 0.08 to 0.20%.
8. (previously presented) Part according to claim 1, wherein zirconium is from 0.12 to 0.18%.
9. (previously presented) Part according to claim 1, wherein manganese is from 0.1 to 0.3%.
10. (previously presented) Part according to claim 1, wherein zinc is at most 0.1%.
11. (previously presented) Part according to claim 1, wherein nickel is at most 0.1%.
12. (previously presented) Part according to claim 1, wherein said part is solution heat treated, quenched and tempered to T6 or T7.
13. (previously presented) Part according to claim 1, wherein said part is a cylinder head or a crankcase of an automobile or aircraft engine.
14. (previously presented) Part according to claim 2, wherein iron is at most 0.3%.
15. (previously presented) Part according to claim 2, wherein the copper is from 0.4% to 0.7%.

16. (previously presented) Part according to claim 3, wherein copper is from 0.4% to 0.7%.

17. (previously presented) Part according to claim 2, wherein magnesium is from 0.25 to 0.5%.

18. (previously presented) Part according to claim 3, wherein magnesium is from 0.25 to 0.5%.

19. (previously presented) Part according to claim 4, wherein magnesium is from 0.25 to 0.5%.

20. (previously presented) Part according to claim 2, wherein magnesium and copper are present such that  $0.3\text{Cu} + 0.18 < \text{Mg} < 0.6$ .